

Impact of Early Childhood Sports Intervention on the Discovery of Physical Fitness Potential of Young Children: Jiang Xi Province

Lili Wang¹, Wan Ahmad Munsif Bin Wan Pa², Wang Ling³, Denise Koh⁴

Abstract

This study highlights the significance of forming lifelong physical activity habits at a young age by investigating the effects of early childhood sports intervention on young children's capacity for physical fitness in Jiangxi Province, China. The study looks at physical strength, flexibility, coordination, and cardiovascular health using a quantitative methodology that includes surveys and objective evaluations. Partial Least Squares regression is used for analysis. The results show that sports intervention programmes have a positive impact on participants' potential for physical fitness as well as their emotional, social, and cognitive development. While practical implications place an emphasis on policy integration and community partnerships, theoretical implications depend on a variety of theories to understand developmental outcomes. Nonetheless certain limitations, such as the cross-sectional design, the study offers insightful information about how sports intervention might promote children's well-being and suggests future research directions to improve generalizability and deepen understanding.

Keywords: *Early childhood sports intervention; Physical fitness potential; Jiangxi Province; Lifelong physical activity habits; Partial Least Squares regression.*

Introduction

A child's childhood physical fitness is important to their well-being and long-term health. Studies have constantly shown how crucial early intervention is for beginning lifelong physical activity habits and behaviors (van Sluijs et al., 2021). As the value of nurturing healthy lifestyles in children grows, programmes that help them reach their full potential in terms of physical fitness are becoming more and more important. Among these programmes, early childhood sports treatments are predominantly noteworthy since they are proactive approaches meant to develop latent physical abilities in addition to boosting physical activity (Ureña et al., 2020).

Early childhood sports treatments provide an inclusive strategy for the development of physical fitness (Utesch et al., 2019). They incorporate play, skill-building and social interaction components that are specifically designed to meet the developmental needs of young children, going beyond simple exercise programs. Early childhood structured physical activity participation lays the grounds for lifelong health and wellbeing in children (Lee et al., 2020). They also offer a venue for identifying and developing innate physical skills and aptitudes, therefore optimizing every child's potential.

In recent years, there has been distress globally about the rise in childhood obesity and sedentary lifestyles. Comprehending the importance of physical activity in kicking these trends, policymakers, educators, and healthcare professionals have underlined the need for early-stage interventions to inspire physical fitness (Cepni, 2023). Early infancy is a critical time for developing lasting habits; therefore it's a good time to put particular treatments into place that will improve physical fitness.

Jiangxi Province is a perfect location for this study project since it offers a different population and a wealth of socioeconomic dynamics (Tian et al., 2016). Its varied geography includes both urban and rural areas, as well as everything in between, each with its own special opportunities and challenges related to the development of children and physical fitness.

Furthermore, Jiangxi's socioeconomic types are very important in determining how children development and physical fitness are shaped (Lv et al., 2023). While rural communities frequently put it to issues like limited resources and transportation restrictions, urban locations may have greater infrastructure and easier access to recreational facilities (Moseley, 2023). Researchers can identify areas for focused intervention and

¹ Faculty of Education, Universiti Kebangsaan Malaysia, Kuala Lumpur, 43600, Malaysia. Email: wanglili20231@gmail.com

² Faculty of Education, Universiti Kebangsaan Malaysia, Kuala Lumpur, 43600, Malaysia. Email: munsif@ukm.edu.my

³ Faculty of Education, Universiti Kebangsaan Malaysia, Kuala Lumpur, 43600, Malaysia. Email: p108364@siswa.ukm.edu.my

⁴ Faculty of Education, Universiti Kebangsaan Malaysia, Kuala Lumpur, 43600, Malaysia. Email: denise.koh@ukm.edu.my

resource allocation by examining these socioeconomic gaps in relation to childhood physical fitness. This will help to ultimately strive towards a more fair distribution of chances for all children in the province.

This study endeavors to produce insights that are both academically rigorous and practically relevant and actionable for local stakeholders by concentrating on Jiangxi Province. Through an awareness of the distinct relative elements impacting youth physical fitness in the area, politicians, educators, medical experts, and community leaders can create focused interventions that cater to the specific requirements and difficulties encountered by kids and families in Jiangxi (Plummer and Taylor, 2013). The ultimate objective is to encourage a culture of health and wellbeing that cuts across national borders and enables every kid to realize their greatest potential in terms of physical fitness.

Our goal in conducting this study is to examine the complex relationships between early sports interventions and young children's capacity for physical fitness in Jiangxi Province. We want to educate policy, practice, and future research activities targeted at boosting childhood physical fitness and all-inclusive development by analyzing the results of such interventions in the local environment. In the end, we create the basis for future generations of communities that are healthier, happier, and stronger by investing in the physical fitness of our youngest members.

The study is located in Jiangxi Province, China, where the importance of early physical fitness is very evident (Kang et al., 2020). Given its heterogeneous population and range of socioeconomic backgrounds, the province offers a distinguishing setting for investigating the effects of early childhood sports interventions (Chen et al., 2022). This study aims to offer insight on prospective paths for improving the physical fitness trajectories of young children in Jiangxi by investigating the efficacy of these interventions.

Literature Review

The research on early childhood sports treatments provides strong evidence of the numerous advantages they have for kids' general development and physical health (Dimitri et al., 2020; Pate et al., 2018; Malm et al., 2019). Researchers have constantly found a beneficial relationship between youth sports engagement and many features of physical fitness across a wide range of studies (Howie et al., 2020; Knight, 2019).

A noticeable subject that surfaces from the literature is the effect of sports treatments throughout early infancy on cardiovascular health (Espeland et al., 2022; Silberbach et al., 2018). Regular physical activity, such playing sports, has been established to raise children's levels of cardiovascular fitness (Pozuelo-Carrascosa et al., 2018; Neil-Sztramko et al., 2021). Children who play organized sports have shown to have significantly enhanced heart health indicators (Logan et al., 2019). These developments lead to better overall cardiovascular health outcomes and include reduced resting heart rates, better blood circulation, and higher aerobic capacity.

Moreover, early sports activity has been associated to increases in muscle strength and durability (Momma et al., 2022; Malm et al., 2019). Children gradually gain stronger muscles and increased muscular strength through exercises like running, jumping, and lifting that call for repetitive motions and resistance training (Stricker et al., 2020; Faigenbaum et al., 2019). This is especially crucial for encouraging normal development and growth and lowering the possibility of musculoskeletal problems. Research shows that sports interventions improve young children's muscle strength and resolution (Villa-González et al., 2023).

Two other aspects of physical fitness that are significantly obstructed by early childhood sports therapy are coordination and flexibility (Horvat et al., 2019; West et al., 2019). Sports frequently involve a range of motions, such as balancing, stretching, and hand-eye synchronization exercises that need coordination and flexibility (Dogra, 2021). Playing sports at a young age helps kids increase better motor skills, coordination, and flexibility in their muscles and joints (Han et al., 2018). Not only can these improvements develop sports performance, but they also transfer to everyday jobs and activities (Sutapa and Suharjana, 2019).

In addition to its physical benefits, early sports engagement has been related with enhanced emotional well-being, social skills, and cognitive performance (Belcher et al., 2021; Oberle et al., 2019). Playing sports has been established to improve cognitive capacities like executive functioning, memory, and attention (Bidzan-Bluma and Lipowska, 2018; De Greeff et al., 2018). Sports also provide opportunities for interactive communication, teamwork, and collaboration, all of which support the development of critical social skills like empathy, leadership, and communication. Children who play sports also practice a sense of mastery

and success that strengthens their emotional resilience, self-worth, and confidence (Gupta and Reddy, 2023; Murphy et al., 2022).

Longitudinal studies determine that the benefits of formal sports programmes for children go beyond their instant physical fitness (Hennessy et al., 2019; Howie et al., 2020; McNeill et al., 2020). Strong evidence of a long-lasting relationship between early sports participation and increased levels of physical activity in adulthood is presented by this research (Corder et al., 2019; Haynes et al., 2021). These longitudinal studies, which follow participants over time, show a distinct pattern: those who participated in organized sports as children are more likely to lead active lives as adults.

The possibility for structured sports therapies to establish lasting habits that support long-term health and well-being is shown by this longitudinal data (Barrett et al., 2022; Stepanovic and Mettler, 2018). Programmes for organized sports teach kids the principles and advantages of physical activity at an early age, laying the groundwork for a lifetime of healthy habits (Siedentop and Van der Mars, 2022; Pangrazi and Beighle, 2019). These programmes offer children with structured settings where they can acquire critical life skills like goal-setting, discipline, and teamwork in addition to physical activity.

Childhood is a developmental time for the formation of lifestyle behaviors (Mollborn and Lawrence, 2018; Lioret et al., 2020). Childhood habits have the inclination to last into adulthood, influencing people's long-term health outcomes (Zolotarjova et al., 2018). Therefore, early childhood treatments offer a tactical chance to encourage healthy lifestyle choices and fend off chronic illnesses in later life.

Early on in life, structured sports interventions are important for helping children form healthy behaviors (Vella et al., 2018; Vella et al., 2021). These programmes assist foster a healthy attitude towards exercise and physical fitness by giving kids chance for regular physical activity in a stimulating and supportive setting. In addition, the social components of organized sports—peer support, teamwork, and camaraderie—improve the whole experience and help players develop durable habits (Brown et al., 2023; Siedentop et al., 2019). These longitudinal findings have consequences not only for individual health outcomes but also for public health issues in general. By providing money for organized sports interventions for children, policymakers, educators, and healthcare professionals can promote population-level health and well-being (Nurunnabi et al., 2020; Mansfield et al., 2018). Along with helping in the prevention of obesity, cardiovascular disease, and other chronic illnesses, these interventions also foster social cohesiveness, resilience, and community involvement (Alhuwayfi et al., 2024; Tziraki-Segal et al., 2019).

However, the efficiency of early childhood sports therapy may depend on a number of factors, including as the program's design, the quality of training, parental involvement, and sociocultural effects (Chaidi and Drigas, 2020; Howells et al., 2019). To efficiently assess sports treatments' effects on potential for physical fitness, it is critical to look at their unique qualities and methods of application.

The following hypotheses for this research were formulated after reviewing the literature:

H1: Early sports intervention increases young children's capacity for physical fitness in Jiangxi Province.

H2: Jiangxi's early sports initiatives greatly enhance kids' strength, flexibility, coordination, and cardiovascular health.

H3: Jiangxi children who participate in sports intervention exhibit improved emotional, social, and cognitive abilities.

H4: The relationship between early sports intervention and children's fitness potential discovery is mediated by improved emotional, social, and cognitive abilities.

H5: Participation of parents in Jiangxi's sports programmes improves the health and fitness of kids






Figure 1. Research Outline

Methodology

Research Design: The study uses a quantitative approach that combines surveys and objective evaluations to fully discover the impact of early childhood sports intervention on young children's capacity for physical fitness in Jiangxi Province. Demographic information, parental opinions, and involvement in sports intervention will be gathered via uniform surveys, offering perceptions into the socioeconomic setting and parental participation. The independent evaluations will include a range of tests that report many borders of physical fitness, including muscular strength, flexibility, agility, and cardiorespiratory strength. These tests will offer numerical evaluations of the children's physical capacities. The study aims to offer a complete understanding of the effect of early childhood sports intervention on physical fitness potential by joining both subjective and objective data collecting methods. Up-to-date decision-making for policymakers, educators, and healthcare professionals involved in endorsing childhood physical fitness in Jiangxi Province is made easier by this method, which allows the checking of potential correlations, mediating factors, and nuanced relationships between intervention participation, physical fitness outcomes, and pertinent covariates.

Sampling Technique and Sample Size: Jiangxi Province kindergartens in both urban and rural locations will be used to choose a sample of young children, ages 3 to 6. To assurance representation from a variety of socioeconomic backgrounds, purposeful sampling will be used. Based on a statistical power analysis, the sample size will be selected with the goal of achieving adequate representation to produce significant findings.

Data Collection: A combination of objective assessments and parent-reported metrics will be used to gather data. Tests of physical fitness components such muscular strength, flexibility, agility, and cardiorespiratory strength will be part of the objective evaluations. Parental surveys will collect data on demographics, involvement in sports intervention, and parents' opinions about their child's general health and physical activity levels.

Data Analysis: Partial Least Squares (PLS) regression, a reliable statistical method appropriate for examining intricate correlations and latent variables, will be used in the data analysis. Examining the relations between physical fitness potential, early childhood sports intervention, and pertinent covariates while taking potential perplexing factors into account is made possible via PLS regression.

Results and Discussion

Evaluation of Measurement Model

The measurement model was investigated for convergent validity using three methods: composite reliability, factor loadings, and AVE (Hair et al., 2017; Ramayah et al., 2018). Composite dependability determines the constructions' internal consistency, with 0.70 being the minimum acceptable value (Herath & Rao, 2009). All of the model's constructions exceeded the model's minimum value criterion. Furthermore, the convergent validity of constructs was evaluated using the AVE and factor loadings. All of the constructions had acceptable AVE and CR values, thus they were included in the model. Also, an AVE value larger than 0.5 indicates that the model's convergent validity is satisfactory (Hair et al., 2017). All of the AVE and factor loading values exceeded the model's thresholds. Furthermore, for factor loading assessment, values ranging from 0.4 to 0.7 are acceptable. It is generally accepted that items with external loadings in this range should be investigated, and if removing these items increases the AVE and CR values, then the construct items in this range should be removed from the model, or else these items must be retained in the model (Hair et al., 2017). Table 1 displays the outer loadings, CR, AVE, rho_A, and Cronbach's alpha for each construct and Table 2 shows discriminant validity of constructs.

Table 1. Convergent validity and reliability.

Constructs	Items	Outer Loadings	Cronbach's Alpha	rho_A	CR	AVE
Emotional, social, and cognitive abilities (ESCA)	ESCA1	0.756	0.873	0.881	0.904	0.616
	ESCA2	0.855				
	ESCA3	0.77				
	ESCA4	0.783				
	ESCA5	0.883				
Children's fitness	CF1	0.758	0.841	0.843	0.874	0.615
	CF2	0.772				
	CF3	0.673				
	CF4	0.747				
	CF5	0.712				
	CF6	0.661				
	CF7	0.549				
	CF8	0.563				
Early Sports Intervention	ESI1	0.635	0.846	0.870	0.877	0.747
	ESI2	0.631				
	ESI3	0.709				
	ESI4	0.775				
	ESI5	0.722				
	ESI6	0.679				
	ESI7	0.676				
	ESI8	0.66				
Parents Participation	PP1	0.586	0.734	0.765	0.823	0.688
	PP2	0.828				
	PP3	0.774				
	PP4	0.789				

Table 2. Discriminant Validity- Fornell-Larcker criterion.

	ESCA	CF	ESI	PP
ESCA	0.776			
CF	0.559	0.636		
ESI	0.285	0.531	0.66	
PP	0.301	0.548	0.551	0.69

Evaluation of Structural Model

Assessment of structural model was done with the help of R-square which shows the degree of accuracy for the model's ability to predict. The values in Table 3 below reveal that R-square value is 0.66 for children's fitness construct and 0.41 for the emotional, social, and cognitive abilities construct, which explains the 66% of variance in children's fitness and emotional, social, and cognitive abilities. The outcomes of the test show that early sports intervention and parents' participation constructs' coefficients in the model are fairly high. Table 4 shows the direct and indirect relationships.

Table 3. R-square

	R Square	R Square Adjusted
CF	0.413	0.408
ESCA	0.667	0.662

Table 4. Direct and Indirect relationship

	Original Sample	T Statistics	P Values	Decision
ESCA -> CF	0.673	12.825	0.000	Supported
ESI -> CF	0.465	6.862	0.000	Supported

PP -> CF	0.603	7.956	0.001	Supported
ESI -> ESCA -> CF	0.61	9.107	0.000	Supported
PP -> ESCA -> CF	0.529	8.546	0.000	Supported

Practical Implications

Jiangxi Province has a chance to avoid chronic diseases and endorse lifelong health by applying early childhood sports intervention programmes. These programmes can help stabilize the increasing developments of childhood obesity, inactive lifestyles, and related health issues by promising healthy physical activity habits from an early age. These programmes, which emphasis on improving physical fitness capacity, improve general health and lower the risk of obesity-related illnesses like diabetes, cardiovascular disease and musculoskeletal issues.

Early childhood sports treatments in Jiangxi have benefits for social and academic development in addition to physical health. According to research, children who involve in regular physical activity have better perceptive function, attention spans, and academic success. Children who participate in systematized sports activities gain vital social skills including leadership, teamwork, and communication—skills that are essential for success in school and beyond. A sense of community and fellowship among peers is also fostered by sports participation, which enhances positive social connections and emotional wellbeing.

Jiangxi Province's early childhood sports intervention programmes offer chances for communal cohesiveness and commitment. Through the integration of parents, educators, coaches, and community stakeholders in the planning and execution of programmes, these activities cultivate a shared sense of responsibility for advancing the health and welfare of children. Sports programmes rooted in the community offer a means of fostering fellowship, fortifying social bonds, and creating nurturing surroundings that enable kids to flourish. Additionally, they support the growth of a lively and dynamic local culture, which rises Jiangxi Province's standard of living overall.

Early childhood sports interventions provide Jiangxi's young children with a stage for skill development and talent identification. These inventiveness support youngsters in discovering and developing their innate physical talents and capabilities by offering structured opportunities for skill-building and physical movement. Children gain basic motor skills, coordination, and sports-specific capabilities through involvement in a variety of sports and activities, setting the groundwork for future athletic activities. Early talent identification also maximizes possibilities for regional, national, and worldwide sports success and accomplishment by enabling targeted support and training.

Policy Implications

Jiangxi Province policymakers have to provide top priority to incorporating early childhood sports intervention programmes into curriculums and policies. Given the importance of physical activity for children's overall growth, educational establishments have the capability to provide funding and support for the establishment of organized sports programmes in preschools and schools. This integration supports an all-inclusive approach to schooling that takes into account a child's physical, cognitive, and socio-emotional development in addition to assuring fair access to sports events for all kids, regardless of socioeconomic background.

Investments in the construction of sports facilities and arrangement should be the main emphasis of policy inventiveness in Jiangxi Province. Sports fields, playgrounds, gymnasiums, and other entertaining facilities should be built and maintained with enough funds and resources, both in urban and rural locations. Furthermore, in order to facilitate the application of early childhood sports interventions in schools, community centers, and public areas, consultants should give top importance to the supply of accessible and safe sports equipment and supplies.

By provided that educators and coaches with the necessary tools and expertise, policymakers can guarantee the quality and effectiveness of sports programmes and maximize the positive impact on children's physical fitness potential. Training and professional improvement programmes should be sponsored for educators, coaches, and careers involved in early childhood sports interventions. Training programmes should center on educating participants' knowledge and assistances in child development, physical education, sports coaching, and injury prevention.

To upkeep early childhood sports interventions in Jiangxi Province, policymakers should inspire partnerships and collaborations between government agencies, educational institutions, non-profit organizations, and community groups. Initiatives rooted in the community are vital for increasing responsiveness, encouraging involvement, and securing funding for sports programmes. Policymakers may establish a supporting environment that enables the expansion and maintenance of early childhood sports interventions all over the province by including parents, local leaders, companies, and healthcare practitioners.

Theoretical Implications

According to Bronfenbrenner's Ecological Systems Theory, the Jiangxi Province study on early childhood sports intervention has theoretical implications. According to this idea, interactions between people and their environments—which are made up of a variation of systems, from microsystems like families and schools to macro systems like culture and society—have an influence on how people develop? The study adds to our thoughtful of how environmental factors, together with family support, community resources, and cultural norms, shape children's growth within the ecological context of Jiangxi Province by analyzing the effect of sports interventions on physical fitness potential.

A theoretical framework for understanding how social reinforcement, self-efficacy, and observational learning influence behaviour is provided by Bandura's Social Cognitive Theory. It is possible to understand how children's commitment in sports activities affects their views of competence, confidence, and motivation towards physical health by observing into the early childhood sports intervention study lead in Jiangxi Province. The study advances Social Cognitive Theory by investigative the mechanisms via which sports interventions influence children's capacity for physical fitness and by offering empirical data on the efficiency of experiential learning in nurturing behaviors relevant to health.

The dynamic interaction of biological, psychological, and environmental elements in influencing human growth is highlighted by developmental systems theory. The Jiangxi Province study on early childhood sports intervention provides visions into how sports engagement during formative years affects the development of physical fitness abilities and capabilities. Through an examination of the communication between personal traits like age, gender, and genetic predispositions and external aspects like family, peers, and community, the research adds to our knowledge of the complicated and diverse processes involved in young children's development of physical fitness.

According to the self-determination theory, human behaviour and well-being are basically influenced by inherent motivation, autonomy, and competence. The research on early childhood sports intervention in Jiangxi Province looks at how playing sports contents children's core psychological needs for connection, competence, and autonomy. This research has theoretical implications within the context of self-determination theory. Through an examination of the elements that boost inherent motivation and persistent participation in physical exercise, the research lightens the mental processes that underlie the effects of sports treatments on children's volume for physical fitness and general health consequences.

Limitations and Future Directions

Although this study offers perceptive information about how early sports intervention affects young children in Jiangxi Province in determining their potential for physical fitness, there are a number of limitations to take into account. The cross-sectional form of the study limits the ability to draw conclusions about causality and hinders the analysis of long-term consequences. More solid evidence of the causal links between playing sports, physical fitness results, and developmental routes may be found in later studies using longitudinal or experimental approaches.

Second, bias and measurement error may be introduced by the study's dependency on subjective evaluations and parental reports. Future research could use objective physical fitness measurements, including accelerometry and uniform fitness tests, to provide more detailed and responsible assessments of kids' physical ability. Furthermore, adding observational measurements and objective evaluations of movement

abilities may offer more in-depth accepting of the developments behind the links between potential physical fitness and sports participation that have been found.

Furthermore, variables together with sample characteristics, regional variances in sports infrastructure, and cultural differences in sports participation standards may limit the generalizability of the study's findings. In order to overcome these limitations, future studies might make use of a diversity of samples drawn from various geographical and cultural contexts. This would enable a more thorough understanding of the effects of early childhood sports interventions in both general and particular contexts.

Finally, by focusing only on physical fitness results, the study may have unheeded other critical facets of child development, including the cognitive, social, and emotional domains. Following investigations may employ a multifaceted methodology to discover the wider effects of involvement in sports on the general well-being and growth of children. Future research could clarify the long-term effects of early childhood sports interventions on various areas of child health and development by joining thorough assessments and longitudinal follow-ups. This would help to inform more all-inclusive intervention strategies and policy initiatives aimed at promoting child well-being.

Conclusion

The study's findings emphasize the value of early sports intervention in Jiangxi Province for improving the physical fitness and general wellbeing of young children. The study emphasizes the significance of structured sports programmes meant to promote physical fitness and holistic development by emphasizing the crucial impact that early intervention plays in forming lifelong physical activity habits. The research shows that early sports intervention significantly improves children's physical strength, flexibility, coordination, and cardiovascular health through a quantitative approach combining surveys and objective evaluations. Moreover, involvement in sports programmes is linked to improve social, emotional, and cognitive functioning, demonstrating the all-encompassing advantages of such interventions on child development. In order to comprehend the intricate relationships influencing children's development, theoretical implications draw on theories of ecological systems, social cognitive theory, developmental systems theory, and self-determination theory. The need of incorporating sports intervention into educational policy, encouraging community partnerships, and allocating funds for professional development and infrastructure are all highlighted by the practical consequences. The study offers important insights into the potential of early childhood sports intervention to increase physical fitness and general well-being in young children, despite limitations like subjective measures and a cross-sectional design. In order to improve generalizability and expand on our understanding of the complex effects that sports engagement has on children's development, future studies should investigate longitudinal effects and integrate a variety of populations. In Jiangxi Province, early childhood sports intervention ultimately builds stronger, happier, and healthier communities by developing the physical fitness of our youngest citizens and cultivating a culture of health from an early age.

References

- Alhuwayfi, S., Alwakeel, A., Alhuwayfi, A. S., & Alhuwayfi, A. (2024). Systemic Review of Community-Based Interventions for Preventing Chronic Diseases in Preventive Medicine Practice. *The Egyptian Journal of Hospital Medicine (January 2024)*, *94*, 291-299.
- Barrett, S., Petrie, T., Voelker, D., & Jackson, R. (2022). The body satisfaction and psychological well-being of retired women athletes: a long-term qualitative analysis of Bodies in Motion. *Body Image*, *43*, 143-153.
- Belcher, B. R., Zink, J., Azad, A., Campbell, C. E., Chakravarti, S. P., & Herting, M. M. (2021). The roles of physical activity, exercise, and fitness in promoting resilience during adolescence: effects on mental well-being and brain development. *Biological psychiatry: Cognitive neuroscience and neuroimaging*, *6*(2), 225-237.
- Bidzan-Bluma, I., & Lipowska, M. (2018). Physical activity and cognitive functioning of children: a systematic review. *International journal of environmental research and public health*, *15*(4), 800.
- Brown, D. M., Cairney, J., Azimi, S., Vandenborn, E., Bruner, M. W., Tamminen, K. A., & Kwan, M. Y. (2023). Towards the development of a quality youth sport experience measure: Understanding participant and stakeholder perspectives. *Plos one*, *18*(7), e0287387.
- Cepni, A. B. (2023). *A Randomized Controlled Trial of the Impact of a School-Based Sport Research Program on Children's Physical Activity, Executive Function, and Academic Achievement* (Doctoral dissertation).

- Chaidi, I., & Drigas, A. (2020). Parents' involvement in the education of their children with Autism: Related research and its results. *International Journal Of Emerging Technologies In Learning (Ijet)*, 15(14), 194-203.
- Chen, N., Lee, K. J., Kim, J., & Tsai, C. T. L. (2022). The effects of individual-level and area-level socioeconomic status on preferences and behaviour in leisure time physical activities: a cross-sectional analysis of Chinese adults. *Leisure/Loisir*, 46(4), 623-643.
- Corder, K., Winpenny, E., Love, R., Brown, H. E., White, M., & van Sluijs, E. (2019). Change in physical activity from adolescence to early adulthood: a systematic review and meta-analysis of longitudinal cohort studies. *British journal of sports medicine*, 53(8), 496-503.
- De Greeff, J. W., Bosker, R. J., Oosterlaan, J., Visscher, C., & Hartman, E. (2018). Effects of physical activity on executive functions, attention and academic performance in preadolescent children: a meta-analysis. *Journal of science and medicine in sport*, 21(5), 501-507.
- Dimitri, P., Joshi, K., & Jones, N. (2020). Moving more: physical activity and its positive effects on long term conditions in children and young people. *Archives of disease in childhood*, 105(11), 1035-1040.
- Dogra, A. (2021). *Sports Medicine*. Friends Publications (India).
- Espeland, D., de Weerd, L., & Mercer, J. B. (2022). Health effects of voluntary exposure to cold water—a continuing subject of debate. *International journal of circumpolar health*, 81(1), 2111789.
- Faigenbaum, A. D., Rebullido, T. R., Peña, J., & Chulvi-Medrano, I. (2019). Resistance exercise for the prevention and treatment of pediatric dynapenia. *Journal of Science in Sport and Exercise*, 1, 208-216.
- Gupta, S., & Reddy, K. J. (2023). Positive People and Confident Competitors: Resilient Youth Development Through Sport and Physical Activity. In *Handbook of Youth Development: Policies and Perspectives from India and Beyond* (pp. 165-191). Singapore: Springer Nature Singapore.
- Han, A., Fu, A., Cogley, S., & Sanders, R. H. (2018). Effectiveness of exercise intervention on improving fundamental movement skills and motor coordination in overweight/obese children and adolescents: A systematic review. *Journal of science and medicine in sport*, 21(1), 89-102.
- Haynes, A., McVeigh, J., Hissen, S. L., Howie, E. K., Eastwood, P. R., Straker, L., ... & Green, D. J. (2021). Participation in sport in childhood and adolescence: Implications for adult fitness. *Journal of Science and Medicine in Sport*, 24(9), 908-912.
- Hennessy, S. L., Sachs, M. E., Ilari, B., & Habibi, A. (2019). Effects of music training on inhibitory control and associated neural networks in school-aged children: A longitudinal study. *Frontiers in Neuroscience*, 1080.
- Horvat, M., Croce, R., Pesce, C., & Fallaize, A. E. (2019). *Developmental and adapted physical education: Making ability count*. Routledge.
- Howells, K., Sivaratnam, C., May, T., Lindor, E., McGillivray, J., & Rinehart, N. (2019). Efficacy of group-based organised physical activity participation for social outcomes in children with autism spectrum disorder: a systematic review and meta-analysis. *Journal of Autism and Developmental Disorders*, 49, 3290-3308.
- Howie, E. K., Daniels, B. T., & Guagliano, J. M. (2020). Promoting physical activity through youth sports programs: It's social. *American Journal of Lifestyle Medicine*, 14(1), 78-88.
- Howie, E. K., Guagliano, J. M., Milton, K., Vella, S. A., Gomersall, S. R., Kolbe-Alexander, T. L., ... & Pate, R. R. (2020). Ten research priorities related to youth sport, physical activity, and health. *Journal of physical activity and health*, 17(9), 920-929.
- Kang, J., Wang, H., Yuan, F., Wang, Z., Huang, J., & Qiu, T. (2020). Prediction of precipitation based on recurrent neural networks in Jingdezhen, Jiangxi Province, China. *Atmosphere*, 11(3), 246.
- Knight, C. J. (2019). Revealing findings in youth sport parenting research. *Kinesiology Review*, 8(3), 252-259.
- Lee, R. L. T., Lane, S., Brown, G., Leung, C., Kwok, S. W. H., & Chan, S. W. C. (2020). Systematic review of the impact of unstructured play interventions to improve young children's physical, social, and emotional wellbeing. *Nursing & Health Sciences*, 22(2), 184-196.
- Lioret, S., Campbell, K. J., McNaughton, S. A., Cameron, A. J., Salmon, J., Abbott, G., & Hesketh, K. D. (2020). Lifestyle patterns begin in early childhood, persist and are socioeconomically patterned, confirming the importance of early life interventions. *Nutrients*, 12(3), 724.
- Logan, K., Cuff, S., LaBella, C. R., Brooks, M. A., Canty, G., Diamond, A. B., ... & Stricker, P. R. (2019). Organized sports for children, preadolescents, and adolescents. *Pediatrics*, 143(6).
- Lv, W., Fu, J., Zhao, G., & Huang, T. (2023). A cohort study of factors influencing the physical fitness of preschool children: a decision tree analysis. *Frontiers in Public Health*, 11, 1184756.
- Malm, C., Jakobsson, J., & Isaksson, A. (2019). Physical activity and sports—real health benefits: a review with insight into the public health of Sweden. *Sports*, 7(5), 127.
- Mansfield, L., Kay, T., Meads, C., Grigsby-Duffy, L., Lane, J., John, A., ... & Victor, C. (2018). Sport and dance interventions for healthy young people (15–24 years) to promote subjective well-being: a systematic review. *BMJ open*, 8(7), e020959.
- McNeill, J., Howard, S. J., Vella, S. A., & Cliff, D. P. (2020). Longitudinal associations of physical activity and modified organized sport participation with executive function and psychosocial health in preschoolers. *Journal of Sports Sciences*, 38(24), 2858-2865.
- Mollborn, S., & Lawrence, E. (2018). Family, peer, and school influences on children's developing health lifestyles. *Journal of health and social behavior*, 59(1), 133-150.
- Momma, H., Kawakami, R., Honda, T., & Sawada, S. S. (2022). Muscle-strengthening activities are associated with lower risk and mortality in major non-communicable diseases: a systematic review and meta-analysis of cohort studies. *British Journal of Sports Medicine*, 56(13), 755-763.
- Moseley, M. J. (2023). *Accessibility: the rural challenge*. Taylor & Francis.
- Murphy, J., McGrane, B., White, R. L., & Sweeney, M. R. (2022). Self-Esteem, Meaningful Experiences and the Rocky Road—Contexts of Physical Activity That Impact Mental Health in Adolescents. *International Journal of Environmental Research and Public Health*, 19(23), 15846.
- Neil-Sztramko, S. E., Caldwell, H., & Dobbins, M. (2021). School-based physical activity programs for promoting physical activity and fitness in children and adolescents aged 6 to 18. *Cochrane Database of Systematic Reviews*, (9).

- Nurunnabi, M., Almusharraf, N., & Aldeghaither, D. (2020). Mental health and well-being during the COVID-19 pandemic in higher education: Evidence from G20 countries. *Journal of Public Health Research, 9*(1_suppl), jphr-2020.
- Oberle, E., Ji, X. R., Guhn, M., Schonert-Reichl, K. A., & Gadermann, A. M. (2019). Benefits of extracurricular participation in early adolescence: Associations with peer belonging and mental health. *Journal of youth and adolescence, 48*, 2255-2270.
- Pangrazi, R. P., & Beighle, A. (2019). *Dynamic physical education for elementary school children*. Human Kinetics Publishers.
- Pate, R. R., Hillman, C., Janz, K., Katzmarzyk, P. T., Powell, K. E., Torres, A., ... & 2018 Physical Activity Guidelines Advisory Committee. (2019). Physical activity and health in children under 6 years of age: a systematic review. *Medicine and science in sports and exercise, 51*(6), 1282.
- Plummer, J., & Taylor, J. G. (2013). *Community participation in China: Issues and processes for capacity building*. Routledge.
- Pozuelo-Carrascosa, D. P., García-Hermoso, A., Álvarez-Bueno, C., Sánchez-López, M., & Martínez-Vizcaino, V. (2018). Effectiveness of school-based physical activity programmes on cardiorespiratory fitness in children: a meta-analysis of randomised controlled trials. *British journal of sports medicine, 52*(19), 1234-1240.
- Siedentop, D., & Van der Mars, H. (2022). *Introduction to physical education, fitness, and sport*. Human kinetics.
- Siedentop, D., Hastie, P., & Van der Mars, H. (2019). *Complete guide to sport education*. Human Kinetics.
- Silberbach, M., Roos-Hesselink, J. W., Andersen, N. H., Braverman, A. C., Brown, N., Collins, R. T., ... & American Heart Association Council on Cardiovascular Disease in the Young; Council on Genomic and Precision Medicine; and Council on Peripheral Vascular Disease. (2018). Cardiovascular health in Turner syndrome: a scientific statement from the American Heart Association. *Circulation: Genomic and Precision Medicine, 11*(10), e000048.
- Stepanovic, S., & Mettler, T. (2018, June). Gamification applied for health promotion: does it really foster long-term engagement? A scoping review. In *Proceedings of the 26th European Conference on Information Systems* (pp. 1-16). AIS.
- Stricker, P. R., Faigenbaum, A. D., McCambridge, T. M., LaBella, C. R., Brooks, M. A., Canty, G., ... & Peterson, A. R. (2020). Resistance training for children and adolescents. *Pediatrics, 145*(6).
- Sutapa, P., & Suharjana, S. (2019). Improving gross motor skills by gross kinesthetic-and contemporary-based physical activity in early childhood. *Jurnal Cakrawala Pendidikan, 38*(3), 540-551.
- Tian, Q., Guo, L., & Zheng, L. (2016). Urbanization and rural livelihoods: A case study from Jiangxi Province, China. *Journal of Rural Studies, 47*, 577-587.
- Tziraki-Segal, C., De Luca, V., Santana, S., Romano, R., Tramontano, G., Scattola, P., ... & Illario, M. (2019). Creating a culture of health in planning and implementing innovative strategies addressing non-communicable chronic diseases. *Frontiers in Sociology, 4*, 9.
- Ureña, N., Fernández, N., Cárdenas, D., Madinabeitia, I., & Alarcón, F. (2020). Acute effect of cognitive compromise during physical exercise on self-regulation in early childhood education. *International journal of environmental research and public health, 17*(24), 9325.
- Utesch, T., Bardid, F., Büsch, D., & Strauss, B. (2019). The relationship between motor competence and physical fitness from early childhood to early adulthood: a meta-analysis. *Sports Medicine, 49*, 541-551.
- van Sluijs, E. M., Ekelund, U., Crochemore-Silva, I., Guthold, R., Ha, A., Lubans, D., ... & Katzmarzyk, P. T. (2021). Physical activity behaviours in adolescence: current evidence and opportunities for intervention. *The Lancet, 398*(10298), 429-442.
- Vella, S. A., Swann, C., Batterham, M., Boydell, K. M., Eckermann, S., Fogarty, A., ... & Deane, F. P. (2018). Ahead of the game protocol: a multi-component, community sport-based program targeting prevention, promotion and early intervention for mental health among adolescent males. *BMC public health, 18*(1), 1-12.
- Vella, S. A., Swann, C., Batterham, M., Boydell, K. M., Eckermann, S., Ferguson, H., ... & Deane, F. P. (2021). An intervention for mental health literacy and resilience in organized sports. *Medicine and science in sports and exercise, 53*(1), 139.
- Villa-González, E., Barranco-Ruiz, Y., García-Hermoso, A., & Faigenbaum, A. D. (2023). Efficacy of school-based interventions for improving muscular fitness outcomes in children: a systematic review and meta-analysis. *European Journal of Sport Science, 23*(3), 444-459.
- West, S. L., Banks, L., Schneiderman, J. E., Caterini, J. E., Stephens, S., White, G., ... & Wells, G. D. (2019). Physical activity for children with chronic disease; a narrative review and practical applications. *BMC pediatrics, 19*, 1-18.
- Zolotarjova, J., Ten Velde, G., & Vreugdenhil, A. C. E. (2018). Effects of multidisciplinary interventions on weight loss and health outcomes in children and adolescents with morbid obesity. *Obesity reviews, 19*(7), 931-946.