

The Plaque Puzzle How Dentists, Lab Technicians, and Nurses Are Tackling the Oral-Systemic Disease Mysteries

Nada Nasser Alsubaie¹, Bashayer Badawi Mustfa Alsharif², Eman Hassan Mohammad Alanazi³, Rana Abdulaziz Alqhtani⁴, Jawharah Dahyan Saud Almutairi⁵, Ekhlas Mohammad Oti⁶, Nahlah Meshal Alotaibi⁷, Hana Badawi Mustfa Alsharif⁸, Nasser Ali Almosallam⁹, Naif Musaad Almutairi¹⁰, Meshari Faraj Almutairi¹¹, Abdullah Abdulrahman Aldawsari¹²

Abstract

Oral health is not an isolated aspect of well-being but an essential component of overall health. A growing body of evidence highlights the significant impact of oral diseases, particularly periodontal infections, on systemic conditions such as cardiovascular disease, diabetes, respiratory illnesses, and neurodegenerative disorders. The "oral-systemic link" underscores the need for a multidisciplinary approach in identifying, managing, and preventing diseases that originate in the oral cavity but influence the entire body. General dentists, laboratory technicians, nursing technicians, and phlebotomists each play a distinct yet interconnected role in tackling these oral-systemic disease mysteries. Dentists serve as the frontline professionals in diagnosing and treating conditions like periodontitis, which contribute to systemic inflammation. Laboratory technicians analyze microbial profiles, biochemical markers, and inflammatory mediators to provide diagnostic insights. Nursing technicians assist in patient education, treatment adherence, and post-procedural care, ensuring that patients receive proper oral hygiene guidance to reduce systemic risks. Phlebotomists contribute by collecting and processing blood samples that help track inflammatory markers and correlate oral infections with systemic diseases. This review highlights the collaborative effort among these professionals in advancing research, refining diagnostic methods, and improving patient outcomes. By understanding the complexities of oral-systemic interactions, healthcare providers can develop more comprehensive strategies to prevent and manage diseases that affect both the oral cavity and the entire body.

Keywords: Oral-Systemic Health, Periodontal Disease, Laboratory Diagnostics, Dental Nursing, Phlebotomy, Systemic Inflammation, Microbiome Analysis, Interdisciplinary Healthcare.

Introduction

For decades, oral health was largely viewed as separate from general health, with dentistry functioning as an independent field rather than an integral part of overall medical care. However, in recent years, a growing body of research has underscored the strong connections between oral health and systemic conditions. The "oral-systemic link" describes the relationship between chronic oral infections, particularly periodontal disease, and conditions such as cardiovascular disease, diabetes, respiratory illnesses, Alzheimer's disease, and adverse pregnancy outcomes. These findings challenge traditional perceptions and emphasize the need for an interdisciplinary approach in healthcare (1).

¹ Laboratory Technician Eradah Complex for Mental Health

² Laboratory Technician Eradah Complex for Mental Health.

³ Laboratory Technician Eradah Complex for Mental Health.

⁴ Laboratory Technician Eradah Complex for Mental Health.

⁵ Laboratory Technician Dariya Hospital

⁶ Technical Laboratory King Fahd Hospital, Jazan

⁷ Phlebotomist King Abdullah medical complex- Jeddah

⁸ Nursing Technician Riyadh Third Health Cluster

⁹ General Dentist Afif General Hospital

¹⁰ General Dentist Sajer General Hospital

¹¹ General Dentist Afif General Hospital

¹² General Dentist Sajer General Hospital

The oral cavity is a complex ecosystem that hosts a vast microbiome, including bacteria, fungi, and viruses. While many of these microorganisms are harmless or even beneficial, others have the potential to trigger chronic inflammation, contributing to systemic diseases. Periodontal disease, in particular, has been identified as a key driver of systemic inflammation. This condition, caused by bacterial plaque accumulation, leads to gum inflammation, tissue destruction, and eventual bone loss. Beyond its local effects, the inflammation and bacterial byproducts from periodontal infections can enter the bloodstream, affecting organs and systems throughout the body (2).

Cardiovascular disease, for example, has been closely linked to oral infections. Research suggests that bacteria commonly found in periodontal pockets, such as *Porphyromonas gingivalis* and *Aggregatibacter actinomycetemcomitans*, can infiltrate the bloodstream, contribute to arterial plaque formation, and increase the risk of heart attacks and strokes. Similarly, individuals with diabetes are more prone to severe gum infections due to impaired immune responses, and untreated periodontal disease can, in turn, worsen glycemic control (1).

Respiratory diseases, including pneumonia and chronic obstructive pulmonary disease (COPD), can also be exacerbated by oral bacteria, which may be aspirated into the lungs, leading to infections. Additionally, emerging research points to potential connections between oral bacteria and neuroinflammation in Alzheimer's disease, as oral pathogens have been detected in the brains of individuals affected by the condition (3).

Given these associations, oral healthcare professionals are increasingly collaborating with medical teams to improve patient outcomes. General dentists, laboratory technicians, nursing technicians, and phlebotomists each play a vital role in detecting, diagnosing, and managing oral and systemic diseases. Dentists serve as the first line of defense, identifying early signs of systemic illness through oral examinations. Laboratory technicians analyze microbial compositions and inflammatory markers to support clinical diagnoses. Nursing technicians help educate patients and reinforce preventive strategies, while phlebotomists assist in collecting crucial blood samples for further investigation (4).

As scientific understanding of the oral-systemic connection continues to evolve, the need for an integrated, team-based approach to healthcare becomes more apparent. This review explores the unique contributions of each of these professionals in unraveling the mysteries of oral-systemic disease interactions and advancing patient care.

Oral-Systemic Disease Mysteries

For many years, oral health was considered separate from systemic health. However, increasing research demonstrates that infections and inflammation in the oral cavity can have far-reaching effects on overall health. The "oral-systemic link" refers to the connection between oral diseases—particularly periodontal disease—and systemic conditions such as cardiovascular disease, diabetes, respiratory infections, and neurodegenerative disorders (5).

One of the key factors driving this relationship is chronic inflammation. Periodontal disease, which affects the gums and supporting structures of teeth, is characterized by persistent bacterial infection and inflammation. When left untreated, this chronic inflammation can lead to the release of inflammatory mediators such as interleukin-6 (IL-6), tumor necrosis factor-alpha (TNF- α), and C-reactive protein (CRP), which enter the bloodstream and contribute to systemic inflammation. Elevated levels of these markers have been linked to an increased risk of heart disease, insulin resistance in diabetes, and neuroinflammation associated with Alzheimer's disease (1).

Another major contributor to the oral-systemic connection is bacterial translocation. Certain pathogenic bacteria found in dental plaque, including *Porphyromonas gingivalis*, *Fusobacterium nucleatum*, and *Tannerella forsythia*, can enter the bloodstream through inflamed gum tissue. These bacteria have been detected in atherosclerotic plaques in heart disease patients, amniotic fluid in pregnant women experiencing preterm birth, and even in brain tissues of individuals with Alzheimer's disease. The ability of these bacteria to travel

beyond the oral cavity suggests a direct pathway through which oral infections can influence systemic health (6).

In addition to inflammation and bacterial spread, immune system dysregulation plays a crucial role. Periodontal disease has been associated with alterations in immune function, leading to increased susceptibility to infections, autoimmune conditions, and even metabolic disturbances. Patients with uncontrolled diabetes, for example, have a weakened immune response, making them more prone to severe gum infections. Conversely, untreated periodontal disease can worsen blood sugar control, creating a bidirectional relationship between oral health and diabetes (7).

Given these complex interactions, an interdisciplinary approach is essential for addressing the mysteries of oral-systemic disease. Dentists, laboratory technicians, nursing technicians, and phlebotomists all contribute to early detection, diagnosis, and treatment, working together to prevent the long-term consequences of oral infections on systemic health (8).

The Role of Nursing Technicians in Oral-Systemic Health

Nursing technicians serve as an essential link between dental and medical professionals, playing a crucial role in patient care, education, and disease prevention. As part of the interdisciplinary healthcare team, nursing technicians assist in maintaining oral hygiene standards, managing post-procedural care, and ensuring patients adhere to treatment plans that support both oral and systemic health (9).

Patient Education and Preventive Care

A key responsibility of nursing technicians is educating patients on the importance of maintaining oral hygiene to prevent systemic complications. Many patients remain unaware of the connection between oral health and chronic conditions such as heart disease and diabetes. Nursing technicians provide guidance on proper brushing and flossing techniques, the importance of regular dental visits, and lifestyle modifications that can reduce inflammation and bacterial growth (5).

For patients with underlying health conditions, such as diabetes, nursing technicians reinforce the necessity of blood sugar control to prevent periodontal complications. They also educate cardiovascular patients about the risks of oral infections contributing to arterial plaque buildup and heart disease. By improving patient awareness, nursing technicians play a preventive role in reducing the systemic effects of oral diseases (10).

Post-Procedural Care and Treatment Adherence

After dental procedures such as tooth extractions, periodontal therapy, or implant placements, proper wound healing is essential to prevent infections that could spread systemically. Nursing technicians monitor patients for signs of complications, such as prolonged bleeding, swelling, or signs of infection. They provide instructions on medication use, dietary restrictions, and wound care to ensure optimal recovery (10).

Patients who undergo antibiotic prophylaxis due to conditions such as heart valve disease or joint replacements rely on nursing technicians to coordinate with dental teams and ensure proper administration of preventive antibiotics. This helps minimize the risk of bacteremia, a condition where oral bacteria enter the bloodstream and cause systemic infections (10).

Infection Control and Oral Hygiene Support in Hospital Settings

In hospital environments, nursing technicians often assist bedridden patients or those with limited mobility in maintaining oral hygiene. Poor oral hygiene in hospitalized patients has been linked to an increased risk of pneumonia, particularly in elderly or immunocompromised individuals. Nursing technicians help with oral care routines, ensuring that patients receive regular cleaning to prevent bacterial overgrowth and aspiration pneumonia (1).

Their role extends to infection control measures, such as sterilization protocols and monitoring cross-contamination risks. By ensuring a clean and safe environment, nursing technicians help reduce the spread of oral bacteria that may contribute to systemic infections (11).

The Role of General Dentists in the Oral-Systemic Puzzle

Dentists are at the forefront of identifying and addressing oral diseases that may have systemic repercussions. As experts in diagnosing and treating conditions affecting the teeth, gums, and oral tissues, they play a crucial role in detecting early indicators of systemic diseases. Many medical conditions manifest in the oral cavity before they become apparent elsewhere in the body, making regular dental checkups an important part of preventive healthcare (12).

One of the most significant contributions of general dentists to systemic health is the management of periodontal disease. Chronic gum inflammation, often resulting from bacterial infections, is a major contributor to systemic inflammation. Left untreated, periodontitis can increase the risk of cardiovascular events, exacerbate diabetes, and complicate pregnancy outcomes. Dentists employ several strategies to control periodontal disease, including professional cleanings, scaling and root planing (deep cleaning), antimicrobial treatments, and, in severe cases, surgical interventions (13).

Beyond periodontal care, dentists also recognize oral manifestations of systemic diseases. Patients with undiagnosed diabetes, for example, may present with persistent gum infections, slow-healing sores, dry mouth, or burning sensations. Autoimmune diseases such as lupus and Sjögren's syndrome often cause oral ulcers, excessive dryness, and difficulty swallowing. Leukemia and other blood disorders can lead to spontaneous gum bleeding and pale mucosal tissues. By identifying these signs early, dentists can refer patients for further medical evaluation, facilitating early diagnosis and intervention (14).

In addition to clinical care, dentists also play a key role in educating patients about the importance of oral hygiene in maintaining overall health. They provide guidance on brushing and flossing techniques, dietary choices, and lifestyle modifications that can reduce inflammation and lower the risk of systemic diseases. By promoting preventive care, dentists help mitigate the long-term health impacts of oral infections (15).

The Crucial Contribution of Laboratory Technicians

Laboratory technicians play a vital role in uncovering the mysteries of oral-systemic diseases by analyzing biological samples and providing critical diagnostic insights. Their expertise helps bridge the gap between oral health and systemic disease by identifying pathogens, monitoring inflammatory markers, and detecting biochemical imbalances that link oral conditions to broader health concerns. Through advanced laboratory techniques, they support dentists, physicians, and other healthcare providers in diagnosing, managing, and preventing complications associated with poor oral health (16).

Microbial Analysis: Identifying Oral Pathogens

One of the key responsibilities of laboratory technicians is conducting microbial analysis to identify bacteria, fungi, and viruses present in the oral cavity. The human mouth hosts a diverse microbiome, but when harmful bacteria proliferate, they can contribute to systemic diseases. Laboratory technicians analyze saliva, plaque, and tissue samples to detect high-risk bacterial species, such as: (5).

Porphyromonas gingivalis – A major contributor to periodontitis, associated with cardiovascular disease and Alzheimer's.

Fusobacterium nucleatum – Linked to colorectal cancer and pregnancy complications due to its ability to travel through the bloodstream.

Treponema denticola – Found in advanced periodontal disease and associated with immune dysfunction.

Aggregatibacter actinomycetemcomitans – Known for its role in aggressive periodontitis and potential links to rheumatoid arthritis.

By identifying these pathogens, laboratory technicians help healthcare providers tailor treatments, such as antibiotic therapy, antimicrobial mouth rinses, or advanced periodontal interventions, to reduce the risk of systemic complications (16).

Inflammatory Marker Testing: Measuring Systemic Risk

Chronic inflammation is a major link between oral diseases and systemic health conditions. Laboratory technicians measure specific inflammatory markers in blood and saliva samples to assess the severity of infection and systemic inflammation. Key markers include: (17).

C-reactive protein (CRP): Elevated levels indicate chronic inflammation and an increased risk of cardiovascular disease.

Interleukin-6 (IL-6): A pro-inflammatory cytokine linked to both periodontal disease and systemic conditions such as diabetes and rheumatoid arthritis.

Tumor necrosis factor-alpha (TNF- α): An indicator of immune activation that has been associated with severe gum disease and autoimmune disorders.

By analyzing these biomarkers, laboratory technicians provide essential data that help dentists and physicians develop personalized treatment plans. For example, a patient with periodontitis and high CRP levels may require both periodontal therapy and cardiovascular risk management strategies (18).

Salivary Diagnostics: A Non-Invasive Window into Systemic Health

Salivary diagnostics is an emerging field that laboratory technicians play a crucial role in advancing. Saliva contains biomarkers that reflect both oral and systemic health, making it an excellent medium for non-invasive testing. Laboratory technicians analyze saliva for: (19).

Glucose levels: Useful for monitoring diabetes patients, as poor oral health can worsen blood sugar control.

Cortisol levels: Elevated cortisol in saliva may indicate stress-related conditions that contribute to bruxism (teeth grinding) and periodontal disease.

Genetic predisposition markers: Certain individuals have genetic variations that make them more susceptible to periodontal disease, which can be identified through genetic testing of saliva samples.

Salivary testing is particularly useful for patients who may not tolerate blood draws or invasive procedures, making it a convenient tool for early disease detection (19).

Blood Culture and Bacteremia Testing

Oral bacteria can enter the bloodstream through inflamed gums, leading to a condition called bacteremia. In healthy individuals, the immune system typically clears bacteria from the blood quickly. However, in immunocompromised patients or those with preexisting conditions, bacteremia can lead to serious infections such as infective endocarditis or complications in artificial joints (20).

Laboratory technicians conduct blood cultures to detect the presence of oral bacteria in systemic circulation. If bacteria such as *Streptococcus mutans* (linked to endocarditis) or *Fusobacterium nucleatum* (linked to systemic inflammation) are identified, this information allows medical teams to initiate targeted antibiotic therapy and preventive measures (20).

Contribution to Research on Oral-Systemic Diseases

Laboratory technicians play a key role in advancing scientific research on the oral-systemic link. By processing and analyzing samples in clinical studies, they help uncover new connections between oral health and systemic conditions. Areas of active research include: (21).

The role of oral bacteria in Alzheimer's disease: Studies have found *P. gingivalis* in the brains of Alzheimer's patients, and laboratory technicians help identify these bacteria through advanced molecular testing.

Oral microbiome changes in diabetes patients: Understanding how diabetes alters oral bacterial populations can lead to better management strategies.

The impact of periodontal treatment on systemic inflammation: Laboratory testing helps determine whether treating gum disease reduces inflammatory markers in patients with heart disease or autoimmune disorders.

By contributing to these research efforts, laboratory technicians help expand knowledge and improve clinical guidelines for treating oral-systemic diseases (21).

Enhancing Collaboration Between Dental and Medical Fields

One of the biggest challenges in addressing oral-systemic health is the historical separation between dentistry and general medicine. Laboratory technicians help bridge this gap by providing data that both dentists and physicians can use to make informed treatment decisions. For example: (22).

A dentist treating a patient with periodontitis may request inflammatory marker testing from a laboratory technician to assess systemic risks.

A physician managing a patient with heart disease may use salivary diagnostics to determine if periodontal infections are contributing to inflammation.

A research team studying diabetes may rely on laboratory technicians to analyze saliva and blood samples for bacterial and inflammatory markers.

By enhancing collaboration between these fields, laboratory technicians play a crucial role in integrating oral health into the broader healthcare system (22).

The Role of Phlebotomists in Oral-Systemic Disease Research and Diagnosis

Phlebotomists play a crucial role in the investigation and management of oral-systemic diseases by collecting and processing blood samples for laboratory analysis. These samples provide valuable data on inflammatory markers, bacterial presence, and metabolic conditions that link oral health to systemic diseases (23).

Tracking Systemic Inflammatory Markers

One of the primary contributions of phlebotomists is the collection of blood samples to measure systemic inflammation levels. Markers such as C-reactive protein (CRP), interleukin-6 (IL-6), and tumor necrosis factor-alpha (TNF- α) are commonly elevated in patients with periodontal disease and systemic conditions like cardiovascular disease and diabetes. Regular monitoring of these markers helps healthcare providers assess the severity of inflammation and tailor treatment approaches accordingly (24).

Blood Culture Analysis for Bacteremia

Oral bacteria can enter the bloodstream through inflamed or bleeding gums, leading to transient bacteremia. In patients with weakened immune systems or pre-existing heart conditions, this can increase the risk of endocarditis or systemic infections. Phlebotomists collect blood cultures that allow laboratory technicians

to identify circulating oral pathogens, aiding in the diagnosis and management of systemic complications originating from the oral cavity (25).

Contribution to Research on Oral-Systemic Links

Phlebotomists play an essential role in research studies investigating the links between oral infections and systemic diseases. By obtaining and processing blood samples, they enable researchers to explore how oral pathogens contribute to conditions such as diabetes complications, Alzheimer's disease, and autoimmune disorders. Their contributions support the advancement of medical and dental knowledge, leading to improved diagnostic and therapeutic strategies (26).

Conclusion

The relationship between oral health and systemic disease is a rapidly evolving area of research, with growing recognition that chronic oral infections contribute to broader health concerns. A multidisciplinary approach involving general dentists, laboratory technicians, nursing technicians, and phlebotomists is essential in addressing these challenges. Each of these professionals plays a unique role in detecting, diagnosing, and managing conditions that bridge oral and systemic health. By fostering collaboration and integrating dental care into the broader healthcare framework, significant strides can be made in preventing and managing systemic diseases linked to oral infections.

The oral-systemic link presents a complex puzzle that requires a collaborative, interdisciplinary approach to fully understand and manage. General dentists, laboratory technicians, nursing technicians, and phlebotomists each contribute their expertise in detecting, diagnosing, and preventing the systemic effects of oral diseases. By working together, these healthcare professionals can improve patient outcomes, advance research, and develop more effective strategies to manage the intricate relationship between oral and systemic health.

References

- Peres, M. A., Macpherson, L. M., Weyant, R. J., Daly, B., Venturelli, R., Mathur, M. R., ... & Watt, R. G. (2019). Oral diseases: a global public health challenge. *The Lancet*, 394(10194), 249-260.
- Baiju, R. M., Peter, E. L. B. E., Varghese, N. O., & Sivaram, R. (2017). Oral health and quality of life: current concepts. *Journal of clinical and diagnostic research: JCDR*, 11(6), ZE21.
- Restrepo, M. I., Sibila, O., & Anzueto, A. (2018). Pneumonia in patients with chronic obstructive pulmonary disease. *Tuberculosis and respiratory diseases*, 81(3), 187.
- Shimpi, N., Schroeder, D., Kilsdonk, J., Chyou, P. H., Glurich, I., Penniman, E., & Acharya, A. (2016). Medical providers' oral health knowledgeability, attitudes, and practice behaviors: An opportunity for interprofessional collaboration. *Journal of Evidence Based Dental Practice*, 16(1), 19-29.
- Kane, S. F. (2017). The effects of oral health on systemic health. *Gen Dent*, 65(6), 30-34.
- Kurtzman, G. M., Horowitz, R. A., Johnson, R., Prestiano, R. A., & Klein, B. I. (2022). The systemic oral health connection: Biofilms. *Medicine*, 101(46), e30517.
- Shanahan, D., & George, S. J. (2025). Oral-systemic Link and Its Impact on General and Oral Health. *Pathological Basis of Oral and Maxillofacial Diseases*, 339-361.
- Ijaz, M. H. (2024). Oral-Systemic Health Connections: Evidence Linking Periodontitis with Cardiovascular and Metabolic Diseases. *Journal of dental care*, 1(1), 21-30.
- Fried, J. L., Maxey, H. L., Battani, K., Gurenlian, J. R., Byrd, T. O., & Brunick, A. (2017). Preparing the future dental hygiene workforce: knowledge, skills, and reform. *Journal of dental education*, 81(9), eS45-eS52.
- Little, K. T. (2022). *Fundamental Concepts and Skills for the Patient Care Technician-E-Book: Fundamental Concepts and Skills for the Patient Care Technician-E-Book*. Elsevier Health Sciences.
- Bhagat, V., Hoang, H., Crocombe, L. A., & Goldberg, L. R. (2020). Incorporating oral health care education in undergraduate nursing curricula-a systematic review. *BMC nursing*, 19(1), 66.
- Hamasaki, T., Kato, H., Kumagai, T., & Hagihara, A. (2017). Association between dentist–dental hygienist communication and dental treatment outcomes. *Health Communication*, 32(3), 288-297.
- National Academies of Sciences, Board on Global Health, & Committee on Educating Health Professionals to Address the Social Determinants of Health. (2016). *A framework for educating health professionals to address the social determinants of health*.
- Ahmad, R., & Haque, M. (2021). Oral health messieurs: diabetes mellitus relevance. *Diabetes, Metabolic Syndrome and Obesity*, 3001-3015.

- Sanz, M., Ceriello, A., Buysschaert, M., Chapple, I., Demmer, R. T., Graziani, F., ... & Vegh, D. (2018). Scientific evidence on the links between periodontal diseases and diabetes: Consensus report and guidelines of the joint workshop on periodontal diseases and diabetes by the International Diabetes Federation and the European Federation of Periodontology. *Diabetes research and clinical practice*, 137, 231-241.
- Jin, L. J., Lamster, I. B., Greenspan, J. S., Pitts, N. B., Scully, C., & Warnakulasuriya, S. (2016). Global burden of oral diseases: emerging concepts, management and interplay with systemic health. *Oral diseases*, 22(7), 609-619.
- Prasad, S., Tyagi, A. K., & Aggarwal, B. B. (2016). Detection of inflammatory biomarkers in saliva and urine: potential in diagnosis, prevention, and treatment for chronic diseases. *Experimental Biology and Medicine*, 241(8), 783-799.
- Dongiovanni, P., Meroni, M., Casati, S., Goldoni, R., Thomaz, D. V., Kehr, N. S., ... & Tartaglia, G. M. (2023). Salivary biomarkers: novel noninvasive tools to diagnose chronic inflammation. *International journal of oral science*, 15(1), 27.
- Roi, A., Rusu, L. C., Roi, C. I., Luca, R. E., Boia, S., & Munteanu, R. I. (2019). A new approach for the diagnosis of systemic and oral diseases based on salivary biomolecules. *Disease markers*, 2019(1), 8761860.
- Dekker, R. L., Lennie, T. A., Moser, D. K., Miller, C. S., Ebersole, J. L., Chung, M. L., ... & Tovar, E. G. (2017). Salivary biomarkers, oral inflammation, and functional status in patients with heart failure. *Biological Research for Nursing*, 19(2), 153-161.
- Khudhur, A. S. (2017). Identification and characterization of novel salivary biomarkers for oral inflammatory disease (Doctoral dissertation, Newcastle University).
- Shakeeb, N., Varkey, P., & Ajit, A. (2021). Human saliva as a diagnostic specimen for early detection of inflammatory biomarkers by real-time RT-PCR. *Inflammation*, 44(5), 1713-1723.
- Lambert, R. F., Yu, A., Orrell, C., & Haberer, J. E. (2020). Perceived oral health interventions by medical providers in Gugulethu, South Africa. *Plos one*, 15(5), e0233437.
- Coit, P., Mumcu, G., Ture-Ozdemir, F., Unal, A. U., Alpar, U., Bostanci, N., ... & Sawalha, A. H. (2016). Sequencing of 16S rRNA reveals a distinct salivary microbiome signature in Behcet's disease. *Clinical Immunology*, 169, 28-35.
- Kumari, S., Samara, M., Ampadi Ramachandran, R., Gosh, S., George, H., Wang, R., ... & Mathew, M. T. (2024). A review on saliva-based health diagnostics: biomarker selection and future directions. *Biomedical Materials & Devices*, 2(1), 121-138.
- Flynn, J. C. (2023). *Procedures in Phlebotomy-E-Book: Procedures in Phlebotomy-E-Book*. Elsevier Health Sciences.