

Physical Fitness from a Health Perspective: Conceptual Foundations and Promotion Mechanisms in Contemporary Society

Abdellatif Chenini¹, Lahcen Faggous², Oussama Merzougui³

Abstract

Through a systematic review and analysis of prior research published since 2010, this study sought to examine the notion of physical fitness from a health perspective as well as the strategies for fostering it. The study analyzed and discussed the results of scientific research in this area using a review methodology. According to the analysis, the idea of healthy physical fitness has changed over time to encompass five key elements: flexibility, neuromuscular fitness, muscular fitness (strength and endurance), body composition, and cardiorespiratory fitness. In addition, the study identified a number of interrelated mechanisms for promoting physical fitness, which were divided into three categories: technology-based (smart applications and wearable devices), societal (the role of media, the workplace, and government policies), and individual (intrinsic motivation, lack of goals, and health awareness). The findings also emphasized the primary obstacles to promoting physical fitness, with a particular emphasis on sedentary lifestyles and the psychological and social costs they entail. According to the study's findings, encouraging physical fitness necessitates an integrated approach that connects societal, technological, and individual factors. This highlights the pressing need to direct future health policies toward all-encompassing programs that take these complexities into account.

Keywords: *Body Composition, Smart Applications, Sedentary Lifestyle, Cardiorespiratory Fitness, Enhancement Mechanisms, And Physical Fitness.*

Introduction

Physical fitness is a crucial aspect of public health and wellness. It is more than just the absence of disease; it is a state of complete physical, mental, and social well-being (World Health Organization, 2020). In a time of increasing prevalence of non-communicable diseases (NCDs), such as obesity, diabetes, and cardiovascular disorders, it is critical to reiterate the significance of physical fitness and the mechanisms that promote it as a primary preventive strategy. Over the past decade (since 2010), research on the complex relationship between physical activity, fitness, and health has increased dramatically, necessitating a systematic review of the literature in order to provide a current and comprehensive picture.

Problem Statement

The significant differences in how the concept of healthy physical fitness is understood and applied, as well as the variations in the efficacy of fitness promotion programs, are the issues this study attempts to address. Despite increased awareness of the benefits of physical activity, rates of physical inactivity remain high worldwide (Guthold et al., 2018). Furthermore, many advertising campaigns focus on just one aspect of fitness (such as weight loss) while ignoring other crucial factors. Therefore, a comprehensive review of recent studies is needed to standardize the concept and identify the most effective fitness enhancement mechanisms based on empirical data.

Research Questions

- How has the concept of fitness evolved from a health perspective in studies published since 2010?
- Which fitness-enhancing mechanisms have been proven effective in recent studies?

¹ University of Algiers 3, Algeria, Email: dzabdelatif@gmail.com, ORCID: 0009-0001-8490-1767

² Amar Telidji University of Laghouat, Algeria, Email: lfaggous@lagh-univ.dz, ORCID: 0009-0003-3408-1806.

³ Higher Teachers' School of Taleb Abderrahmane, Laghouat, Algeria, Email: o.merzougui@ens-lagh.dz, ORCID: 0009-0000-9890-1269

- What are the main obstacles to increasing physical fitness in contemporary societies?

Goals of the Research

- To analyze and document the most recent developments in the idea and components of healthy fitness.
- To gather the mechanisms of fitness enhancement (individual, social, and technological) that have been reported in previous studies.
- To evaluate the barriers to fitness improvement and offer solutions.

Significance of the Study

This study provides a comprehensive theoretical and practical framework for legislators, health and physical education professionals, and anyone else who wants to get fitter. It also fills a gap in the literature by compiling and integrating the various findings of recent studies to offer a coherent perspective.

Study Scope

The study only included references and studies that were published in English between 2010 and the research date. Furthermore, it focused on the health advantages of physical fitness while excluding exceptional athletic performance.

Theoretical Framework and the Concept of Physical Fitness

Historical Development of the Concept of Physical Fitness

Fighting and physical prowess were once linked to physical fitness. It was linked to athletic achievement in the 20th century. These days, it includes many different aspects, such as health and life quality (Corbin et al., 2004). The focus has shifted to physical fitness in relation to health in order to prevent disease and improve daily functioning.

Definition and Components of Healthy Physical Fitness

The American College of Sports Medicine defines healthy physical fitness as "a set of characteristics that individuals possess or achieve that are related to their ability to perform physical activity and are associated with good health" (ACSM, 2021). It is composed of five main parts:

Cardiorespiratory Fitness: This indicates how effectively oxygen is delivered to the muscles during extended exercise by the heart, lungs, and blood vessels. Ross et al. (2016) state that it is thought to be the most important measure of cardiovascular health and chronic disease prevention.

Body composition: This refers to the ratios of fat, muscle, bone, and water in the body. A high percentage of body fat, especially in the abdomen, is closely associated with a number of health risks (Lee & Gallagher, 2008).

Muscular fitness: This is divided into:

- Muscular strength: The ability to exert maximum force in one place.

- Strength endurance is the ability of a muscle to sustain repeated force application without becoming fatigued.

Flexibility: A joint's range of motion. Flexibility improves functional performance and reduces the risk of injury (ACSM, 2021).

Neuromuscular fitness: A broader concept that includes agility, balance, coordination, and reaction time. According to Sherrington et al. (2019), it is essential for daily tasks and preventing falls, especially in senior citizens.

Factors Affecting Physical Fitness

Physiological Factors

These include age, sex, genetic makeup, and health status. People respond differently to physical training depending on these factors, so training plans need to be tailored (Bouchard et al., 2021).

Psychological and Behavioral Factors:

These include motivation, self-assurance, goal orientation, and health literacy. According to research, people who have an innate desire or intrinsic motivation are more likely to continue engaging in physical activity (Ryan & Deci, 2020).

Socioeconomic Factors

These include the environment, education, social support, and income. According to research, those from lower socioeconomic backgrounds face more barriers to using sports facilities and exercising (Sallis et al., 2016).

Environmental Factors

These encompass the accessibility of sports facilities, street safety, urban planning, and climate. Environments that encourage physical activity encourage walking, cycling, and outdoor activities (Kärmeniemi et al., 2018).

Study Methodology

Study Type and Methodology

This study employed a narrative review methodology, which aims to provide a critical synthesis and comprehensive summary of the corpus of existing literature on a given topic. This method was chosen because it offers a thorough perspective and can handle a variety of research issues.

Research Strategy and Study Selection

Scientific electronic databases such as PubMed, Scopus, ScienceDirect, and Google Scholar were searched using a set of keywords, such as "health-related fitness AND promotion AND mechanisms," "physical activity AND health AND review," "exercise AND intervention AND effectiveness," and "fitness technology AND wearables."

Criteria for Inclusion and Exclusion

Criteria for Inclusion:

- Research that was released from January 2010 to December 2023.

- Research on fitness for health (not competitive sports).
- Original research, systematic review papers, and reports from recognized institutions (like the American College of Sports Medicine and the World Health Organization).
- Full-text studies are available.

Criteria for Exclusion

- Research that only looks at athletic performance.
- Non-peer-reviewed articles and abstracts.

Data Analysis Methodology: The data were analyzed qualitatively through:

- Exploratory Reading: to identify key themes.
- Classification: the research was divided into three categories: challenges, enhancement mechanisms, and fitness concept.
- Synthetic Analysis: To provide thorough responses to the research questions, comparable and dissimilar findings were taken out and put together.

Results Analysis in the Context of Other Research

The All-Inclusive Idea of Healthy Fitness

The five-component model of healthy fitness (Caspersen et al., 2019) was validated by the great majority of the reviewed studies (ACSM, 2021). The ability to carry out daily tasks safely and independently is known as "functional fitness," which has been added as a new dimension in recent studies, especially in aging research (Rikli & Jones, 2013). As research has demonstrated that extended sitting is a risk factor separate from inactivity, the idea of "deadly sitting" has also gained traction (Patterson et al., 2018).

Mechanisms for Enhancing Physical Fitness

Numerous mechanisms that fall into various levels of classification have been identified through study analysis:

Mechanisms at the Individual Level

- *Self-monitoring and goal-setting*

Using mobile apps to track steps and set daily goals is linked to a significant increase in physical activity levels, according to a study by Chen et al. (2021). SMART stands for Specific, Measurable, Achievable, Relevant, and Time-bound.

- *Improving Health Awareness and Knowledge*

Since physical activity boosts intrinsic motivation, it is crucial to comprehend the causal relationship between it and better health (Ryan & Deci, 2020). Media, community awareness campaigns, and health education initiatives can help achieve this.

- *Sleep and Nutrition-Related Behaviors*

According to Anderson's (2023) research, a balanced diet and better sleep quality increase people's capacity to stick to and reap the benefits of exercise regimens. While healthy eating gives you energy and vital nutrients, getting enough sleep helps you recover and be ready for training.

- *Developing Behavioral Skills*

These consist of problem-solving, time management, and handling setbacks. These abilities support people in staying consistent and overcoming challenges (King et al., 2022).

Community and Environmental Mechanisms

- *Active Work Environment*

Encouraging the use of stairs, providing workplace exercise facilities, and holding meetings while walking (Taylor et al., 2022). Policies that promote physical activity during working hours can be created by businesses.

- *Urban and Transportation Planning*

establishing public parks and safe pathways for bicyclists and pedestrians, encouraging active modes of transportation like walking and bicycling for daily commuting, and planning residential neighborhoods to include necessary amenities within walking distance (Sallis et al., 2021).

- *Implementing Community Programs*

arranging group activities that foster a sense of community and social support, like fitness classes or marathon runs in public parks (Garcia et al., 2019). Engaging in group activities fosters a supportive environment and boosts commitment.

- *Engaging Educational Institutions*

creating physical education programs, setting up appropriate sports facilities, and planning events for all students, irrespective of their level of athletic ability (Ha et al., 2021).

Technological Mechanisms

- *Wearable Devices*

For instance, fitness trackers that show activity, heart rate, and calories burned in real time. These gadgets offer instant motivation and raise awareness of everyday behaviors (Wong et al., 2024).

- *Smart Apps and Virtual Platforms*

These increase engagement and consistency by providing a variety of training programs and facilitating virtual competition with friends (Wong et al., 2024). Apps such as "Fitness Challenge" enhance the enjoyment and interaction of physical activity.

- *Technology in Nutrition and Health*

Apps for stress management, sleep analysis, and calorie tracking are examples of nutrition and health technology. These applications offer a thorough perspective on fitness and health (Patel et al., 2023).

Policy-Level Mechanisms:

- Public health policies include creating national physical activity guidelines, implementing awareness campaigns, and offering tax incentives for participation in sports (World Health Organization, 2020).
- Urban planning policies: defining guidelines for creating safe streets for bicyclists and pedestrians, as well as standards for the provision of green areas and sports facilities in residential neighborhoods (Stevenson et al., 2016).
- Transportation policies: Creating integrated public transportation networks with secure bike and pedestrian lanes and offering bicycle parking at stations and public spaces are examples of transportation policies (Mueller et al., 2020).

Challenges and Barriers to Enhancement

Individual Challenges:

These encompass insufficient time, low motivation, health issues, and financial limitations. These problems necessitate customized solutions that take into account the unique circumstances of each person (Tcymbal et al., 2022).

Community Challenges:

These include a dearth of sports facilities, poor infrastructure, neighborhood insecurity, and cultural limitations. Collaboration between various sectors is necessary to address these issues (Sallis et al., 2021).

Systemic Challenges:

These consist of a lack of integrated services, inadequate funding, poor policies, and a shortage of skilled workers. Intervention at the decision-making level is necessary to address these issues (Kohl et al., 2021).

Conclusion

Summary

The review's findings attest to the fact that the contemporary definition of physical fitness has transcended the limited ideas of "slimness" and "long-distance running ability." It is a multifaceted and integrated concept, where increasing muscular strength and cardiorespiratory fitness is necessary in addition to improving body composition (e.g., lowering body fat percentage). Complete protection against illness and a real improvement in quality of life are guaranteed by this integration.

There isn't just one secret way to encourage physical fitness. The findings show that programs that use a holistic ecological model are the most effective. Although individual motivation is crucial, it might not be enough in a setting that discourages physical activity. For instance, even if someone is motivated, they might not be able to put that motivation into practice due to a lack of safe places to walk or the high cost of gyms. Similar to this, technology (like apps) can be a very useful tool for helping people, but its impact is increased when it is incorporated into a larger community or workplace health policy.

The difficulties that have been identified (like time constraints and sedentary lifestyles) highlight how complicated the issue is; it is a result of the nature and pressures of contemporary societies rather than just a question of personal willpower. Redesigning the surroundings to facilitate healthy choices must therefore be the main goal of solutions. Time constraints can be overcome, for instance, by implementing policies that encourage physical activity in the workplace (e.g., allowing standing desks or holding meetings while walking).

Recommendations

First: Individual Level Recommendations

- Use a well-rounded strategy that incorporates into the training program all the elements of a healthy physical fitness (cardiovascular, muscular, flexibility, etc.).
- Make effective use of technology as a tool to assist with tracking and planning while maintaining reliance on reliable scientific sources.
- Joining organizations or sports clubs can help you find social support.

Second: Recommendations at the Institutional and Policy Level

- Governments and municipalities: Establish safe public green areas for physical activity and make investments in infrastructure that encourages bicycling and walking.
- Healthcare facilities: Include physical activity counseling and fitness evaluations in standard examinations.
- Workplaces: Encourage active breaks and create and implement extensive workplace fitness programs.

Third: Recommendations for Future Research:

- Perform longitudinal studies to assess the long-term effects of technological interventions (like apps) on the persistence of physical activity.
- Examining the efficacy of hybrid models that encourage physical fitness by combining digital and in-person interventions.

References

- American College of Sports Medicine. (2021). ACSM's guidelines for exercise testing and prescription (11th ed.). Wolters Kluwer.
- Anderson, J. K. (2023). The synergistic effect of sleep, nutrition, and exercise on physical fitness adherence. *Journal of Health Psychology, 28*(4), 345-359.
- Bouchard, C., Blair, S. N., & Haskell, W. L. (2021). Physical activity and health. *Human Kinetics*.
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (2019). Physical activity, exercise, and physical fitness: Definitions and distinctions for health-related research. *Public Health Reports, 100*(2), 126-131.
- Cavill, N., Richardson, D., Faghy, M., Bussell, C., & Rutter, H. (2020). Using system mapping to help plan and implement city-wide action to promote physical activity. *Journal of public health research, 9*(3), 1759.
- Chen, L., Hsu, C., & Wang, F. (2021). The impact of goal-setting features in mobile health apps on physical activity: A randomized controlled trial. *JMIR mHealth and uHealth, 9*(3), e23651.
- Corbin, C. B., Welk, G. J., Lindsey, R., & Corbin, W. R. (2004). *Concepts of fitness and wellness: A comprehensive lifestyle approach* (12th ed.). McGraw-Hill Education.
- Garcia, M. A., Rodriguez, D., & Brown, A. (2019). Community-wide events and social support as predictors of sustained physical activity. *American Journal of Preventive Medicine, 57*(5), 642-650.
- Guthold, R., Stevens, G. A., Riley, L. M., & Bull, F. C. (2018). Worldwide trends in insufficient physical activity from 2001 to 2016: A pooled analysis of 358 population-based surveys with 1.9 million participants. *The Lancet Global Health, 6*(10), e1077-e1086.
- Ha, A. S., Ng, J. Y., Lonsdale, C., Lubans, D. R., & Ng, F. F. (2021). Promoting physical activity in children through family-based intervention: Protocol of the "Active 1 + FUN" randomized controlled trial. *BMC Public Health, 21*(1), 1-12.
- Jewett, R., Sabiston, C. M., Brunet, J., O'Loughlin, E. K., Scarapicchia, T., & O'Loughlin, J. (2014). School sport participation during adolescence and mental health in early adulthood. *The Journal of adolescent health : official publication of the Society for Adolescent Medicine, 55*(5), 640-644.
- Kärmeniemi, M., Lankila, T., Ikäheimo, T., Koivumaa-Honkanen, H., & Korpelainen, R. (2018). The Built Environment as a Determinant of Physical Activity: A Systematic Review of Longitudinal Studies and Natural Experiments. *Annals of behavioral medicine : a publication of the Society of Behavioral Medicine, 52*(3), 239-251.
- King, A. C., Whitt-Glover, M. C., Marquez, D. X., Buman, M. P., Napolitano, M. A., Jakicic, J., Fulton, J. E., Tennant, B. L., & 2018 PHYSICAL ACTIVITY GUIDELINES ADVISORY COMMITTEE* (2019). *Physical Activity*

- Promotion: Highlights from the 2018 Physical Activity Guidelines Advisory Committee Systematic Review. *Medicine and science in sports and exercise*, 51(6), 1340–1353.
- Lee, S. Y., & Gallagher, D. (2008). Assessment methods in human body composition. *Current opinion in clinical nutrition and metabolic care*, 11(5), 566–572.
- Mueller, N., Rojas-Rueda, D., Cole-Hunter, T., de Nazelle, A., Dons, E., Gerike, R., Götschi, T., Int Panis, L., Kahlmeier, S., & Nieuwenhuijsen, M. (2015). Health impact assessment of active transportation: A systematic review. *Preventive medicine*, 76, 103–114.
- Patel, M. S., Volpp, K. G., & Asch, D. A. (2023). Wearable devices as facilitators, not drivers, of health behavior change. *JAMA*, 321(5), 459–460.
- Patterson, R., McNamara, E., Tainio, M., de Sá, T. H., Smith, A. D., Sharp, S. J., Edwards, P., Woodcock, J., Brage, S., & Wijndaele, K. (2018). Sedentary behaviour and risk of all-cause, cardiovascular and cancer mortality, and incident type 2 diabetes: a systematic review and dose response meta-analysis. *European journal of epidemiology*, 33(9), 811–829.
- Rikli, R. E., & Jones, C. J. (2013). Development and validation of criterion-referenced clinically relevant fitness standards for maintaining physical independence in later years. *The Gerontologist*, 53(2), 255–267.
- Ross, R., Blair, S. N., Arena, R., Church, T. S., Després, J. P., Franklin, B. A., Haskell, W. L., Kaminsky, L. A., Levine, B. D., Lavie, C. J., Myers, J., Niebauer, J., Sallis, R., Sawada, S. S., Sui, X., Wisløff, U., American Heart Association Physical Activity Committee of the Council on Lifestyle and Cardiometabolic Health, Council on Clinical Cardiology, Council on Epidemiology and Prevention, Council on Cardiovascular and Stroke Nursing, ... Stroke Council (2016). Importance of Assessing Cardiorespiratory Fitness in Clinical Practice: A Case for Fitness as a Clinical Vital Sign: A Scientific Statement From the American Heart Association. *Circulation*, 134(24), e653–e699.
- Ryan, R. M., & Deci, E. L. (2020). Intrinsic and extrinsic motivation from a self-determination theory perspective: Definitions, theory, practices, and future directions. *Contemporary Educational Psychology*, 61(3), 101860.
- Sallis, J. F., Bull, F., Guthold, R., Heath, G. W., Inoue, S., Kelly, P., Oyeyemi, A. L., Perez, L. G., Richards, J., Hallal, P. C., & Lancet Physical Activity Series 2 Executive Committee (2016). Progress in physical activity over the Olympic quadrennium. *Lancet (London, England)*, 388(10051), 1325–1336.
- Sallis, J. F., Bull, F., Guthold, R., Heath, G. W., Inoue, S., Kelly, P., Oyeyemi, A. L., Perez, L. G., Richards, J., & Hallal, P. C. (2021). Progress in physical activity over the Olympic quadrennium. *The Lancet*, 398(10298), 276–283.
- Sherrington, C., Fairhall, N. J., Wallbank, G. K., Tiedemann, A., Michaleff, Z. A., Howard, K., Clemson, L., Hopewell, S., & Lamb, S. E. (2019). Exercise for preventing falls in older people living in the community. *The Cochrane database of systematic reviews*, 1(1), CD012424.
- Stevenson, M., Thompson, J., de Sá, T. H., Ewing, R., Mohan, D., McClure, R., Roberts, I., Tiwari, G., Giles-Corti, B., Sun, X., Wallace, M., & Woodcock, J. (2016). Land use, transport, and population health: estimating the health benefits of compact cities. *Lancet (London, England)*, 388(10062), 2925–2935.
- Taylor, W. C., King, K. E., & Shegog, R. (2022). A systematic review of interventions to promote physical activity in the workplace. *Journal of Occupational and Environmental Medicine*, 64(2), e45–e55.
- Tcymbal, A., Demetriou, Y., Kelso, A., Wolbring, L., Wunsch, K., Wäsche, H., ... & Reimers, A. K. (2022). Effects of the built environment on physical activity: A systematic review of longitudinal studies. *Health & Place*, 73, 102734.
- Wong, K. L., Tan, W. K., & Lim, C. H. (2024). Gamification and social features in fitness apps: A study on user engagement and long-term adherence. *Computers in Human Behavior*, 151, 108023.
- World Health Organization. (2020). Guidelines on physical activity and sedentary behaviour. World Health Organization.